


20  
W  
E  
M  
T



Proble

a)(3 marks)

$$\left[ \begin{array}{ccc|cc} 5 & 3 & 0 & 1 & 0 \\ 3 & 2 & 1 & 0 & 1 \\ 0 & 0 & 1 & 0 & 0 \end{array} \right]$$

$$5R_1 \rightarrow \left[ \begin{array}{ccc|cc} 1 & \frac{3}{5} & 0 & \frac{1}{5} & 0 \\ 0 & 1 & 1 & 0 & 1 \\ 0 & 0 & 1 & 0 & 0 \end{array} \right]$$

$$\rightarrow R_2 - 5R_3 \left[ \begin{array}{ccc|cc} 1 & 0 & 0 & 0 & 1 \\ 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 & 0 \end{array} \right]$$

b)(3 marks)

Using The

$E_6 E_5 E_4$

$$\rightarrow A = E_1$$

$$= \begin{bmatrix} 5 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Problem 3. (5 p)

where  $C = \begin{pmatrix} 7 & -1 \\ 6 & -1 \end{pmatrix}$

$$(3A^T - I)$$

$$= \begin{bmatrix} 7 & -1 \\ 6 & -1 \end{bmatrix}$$

$$\rightarrow 3A^T =$$

$$\rightarrow A^T =$$

$$\rightarrow A = \begin{bmatrix} & \\ & \end{bmatrix}$$

Pro  
integer

(I)

Prob.  
invertible

IF  $AB$

$\rightarrow B$

$$|A| = 1$$

$$|A_1| =$$

$$|A_2|$$

de

ac

det

Set

R

Problem 9.

a) (5 marks) Find

$$2x - 3y + z = 1.$$

$$L \cap \pi : 20$$

$$\rightarrow \pi$$

$$\rightarrow 10$$

$$Q = \left(1 + \frac{4}{7}\right)$$

b) (5 marks) Find

$$L_1 : \begin{pmatrix} x \\ y \\ z \end{pmatrix}$$

$$\vec{n} = (1, 1, 1) \times$$

$$= (-2, 1, 1)$$

$$\vec{PQ} = (0, 0, 1)$$

$$d = \frac{1}{\|\vec{n}\|} |\text{Proj}_{\vec{n}} \vec{PQ}|$$



P

Find a  
equati

7

5

Problem 1

in  $\mathbb{R}^4$  evaluate

a)  $\text{proj}_u(v +$

$$\text{proj}_u(v + w)$$

b)  $\|u\|^2 + \|v$

$$= 14$$

$$= 6$$

c)  $u \times v - u \cdot w$

↑  
VECTOR

↑  
SC

TA

MOREOVER

d) the angle  $\theta$  between

$$\theta = \arccos\left(\frac{u \cdot v}{|u||v|}\right)$$

$$= \arccos\left(\frac{u \cdot v}{|u||v|}\right)$$

Problem

as its edges. I

$$J = \text{Volume} = \int$$

$$= a^2$$

$$\rightarrow a^2 + a - 4$$

$\rightarrow$

Problem

Span{u, v, w}

$$\supseteq: v, v+v$$

$$\subseteq: v = au +$$

$$w = au.$$

Prob  
 $2 \times 2$ .  
a) (5 n

form a

$$aA_1 +$$

$$\rightarrow \begin{cases} 2 \\ 2 \\ a \end{cases}$$

$$\begin{array}{c} 2 \\ 0 \\ 1 \end{array}$$

b) (2 m  
a).

$$\begin{cases} 2a + b \\ 2c = \\ a + 2b \end{cases}$$

$\rightarrow$

$$S = \{A_1, A_2, A_3\}$$

Prob

Find the

S BASIS

$$= K \begin{matrix} 11 \\ 1K \end{matrix}$$


$$= K^2_3$$

Prob  
and the s

Find the

AXIOM 1

AXIOM



pr  
de

a v

FA